

AMILO Notebook Pa 3553

The perfect all-round notebook

Issue January 2009

Version 7

Pages 6

The AMILO Notebook P series combines versatile performance, great technology, fascinating design and an independent lifestyle.

Key Features

Processor technology

- AMD next-generation mobile dual-core processor technology

Operating System

- Windows Vista® Home Premium

Innovation

- ATI Mobility Radeon™ HD 3470 Hybrid X2 graphics with 256 MB dedicated video RAM for great graphics performance
- ATI Hybrid CrossFireX™ technology enables the onboard graphics chip and the discrete graphics processor to simultaneously work together to boost 3D graphics performance

Reliability

- Spill-proof keyboard¹ that protects your notebook against accidentally spilt liquids
 - Enough time to shut down the notebook
 - Have the liquid removed from the notebook
 - Protects your investment and your data
- Engineered in Germany means the test center in Germany tests conformity to international standards and customer-specific requirements
- A+ grade LCD panels for better picture quality

Mobility

- Standard 15.4-inch form-factor that fits in almost every bag
- Integrated draft-n Wireless LAN to go online when and wherever you want

Entertainment and multimedia

- The integrated AMILOcam with low-light technology for great video-quality even in low-light conditions and the built-in digital array microphone are perfect for Internet telephoning (VoIP) and video chats
- LCD WXGA display with BrilliantView technology for vivid colors, amazing sharpness and impressive contrast
- Enjoy your favorite Hollywood blockbuster on an external display via HDMI (with HDCP support)

More convenience thanks to

- The silent mode function that causes a noticeable reduction in fan noise
- The built-in DVD drive to store and secure data comfortably on the move

Model: Reveal white



Model: Eclipse black



Fujitsu Siemens Computers recommends Windows Vista® Home Premium

Operating system² and Recovery

Operating system	Genuine Windows Vista® Home Premium (32-bit version) or Genuine Windows Vista® Home Basic (32-bit version)
Fujitsu Siemens Computers Recovery Program	Backup and restore the original status of the hard disk and create system restore disks or individual recovery media on CD or DVD are included

Product Design (color)

Reveal white or eclipse black

Architecture

System architecture	AMD next-generation mobile dual-core processor technology
Chipset	AMD 780G + SB700

Processors²

AMD Turion™ X2 Ultra processor	ZM-80 (2.1 GHz, 2 MB L2 cache) ZM-82 (2.2 GHz, 2 MB L2 cache) ZM-84 (2.3 GHz, 2 MB L2 cache) ZM-86 (2.4 GHz, 2 MB L2 cache)
AMD Turion™ X2 Dual-Core processor	RM-70 (2.0 GHz, 1 MB L2 cache) RM-72 (2.1 GHz, 1 MB L2 cache)
AMD Athlon™ X2 Dual-Core processor	QL-60 (1.9 GHz, 1 MB L2 cache) QL-62 (2.0 GHz, 1 MB L2 cache)
AMD Sempron™ processor ³	SI-40 (2.0 GHz, 512 KB L2 cache) SI-42 (2.1 GHz, 512 KB L2 cache)

Memory

Memory speed	2 SO-DIMM memory slots (no memory on board)
Memory type	800 MHz
Memory modules	DDR 2 RAM
Max. memory size ^{2, 4}	1024 or 2048 MB
	4096 MB

Drives**Hard disk drive**

HDD type	SATA
HDD size	2.5-inch
HDD speed	5400 rpm
HDD cache	8 MB
HDD capacity ²	160, 250, 320 or 500 GB

Optical disk drive² (built-in)

ODD type	SATA
ODD technology	SuperMulti-format DVD burner with double layer (DL) support
ODD read speed	CD-ROM 24x, DVD-ROM 8x
ODD write speed	CD-R 24x, CD-RW 16x, DVD+R 8x, DVD-R 8x, DVD+RW 8x, DVD-RW 6x, DVD+R DL (8.5 GB) 4x, DVD-R DL (8.5 GB) 4x, DVD-RAM 5x

Option²:

ODD technology	Built-in Blu-ray Disc™ drive incl. SuperMulti-format DVD burner with double layer (DL) support
ODD read speed	BD 1.6x, CD-ROM 24x, DVD-ROM 8x
ODD write speed	CD-R 8x, CD-RW 8x, DVD+R 8x, DVD+RW 4x, DVD-R 8x, DVD-RW 4x, DVD+R DL (8.5 GB) 2.4x, DVD-R DL (8.5 GB) 2x, DVD RAM 5x

Display

Display type	BrilliantView LCD
Display size	15.4-inch
Display resolution (intern)	1280 x 800 pixels
Display resolution (extern)	1920 x 1200 pixels
Resolution type	WXGA
Reaction time	16 ms
Brightness (typ.)	200 cd/m ²
Contrast (typ.)	400 : 1
Compliance with standards	ISO 13406-2 class II

Fujitsu Siemens Computers recommends Windows Vista® Home Premium

Graphics

Dedicated graphics (full name)	ATI Mobility Radeon™ HD 3470 Hybrid X2 graphics
Dedicated video memory	256 MB GDDR2
Onboard graphics chip	ATI Radeon™ HD 3200
Shared video memory ⁵	Up to 1920 MB
3D Benchmark 2006	Up to 2412 points (depending on configuration)
Graphic features	<ul style="list-style-type: none"> ■ ATI Hybrid CrossFireX™ technology ■ DirectX® 10.1 support

Interfaces

Video	1x HDMI (1.3a), 1x VGA
Audio	1x line in, 1x microphone in, 1x line out / headphone out combined with S/PDIF out
Network	1x LAN (RJ-45)
Data	1x eSATA combined with USB 2.0, 2x USB 2.0, 1x IEEE1394 1x ExpressCard slot (54 / 34 mm) 1x 15-in-1 card reader ⁶ SD, miniSD, MicroSD, SDHC MS, MS-Duo MMC, RS-MMC, MMC-Micro MSPRO, MS-PRO Duo, MS-Pro HG, MS-Pro HG Duo M2 xD picture card
Power supply	1x DC-in

Communication

LAN (Local Area Network)	Gigabit Ethernet (10 / 100 / 1000 Mbps)
Built-in WLAN (Wireless Local Area Network)	Yes
WLAN type	draft-n 802.11b/g/n
WLAN max. data rate	Up to 300 Mbps
WLAN encryption	WEP, WPA and WPA2
For use in	BE, CH, DK, DE, EE, FI, FR, EL, IE, IS, IT, LI, LV, LT, LU, MT, NL, NO, PL, AT, PT, SE, SK, ES, CZ, HU, UK, CY

Multimedia

Audio	Support of high-definition audio for S/PDIF output with up to 7.1 channels
Audio chip	Realtek ALC888
Speakers	2x built-in speakers (1.5 W each)
Microphone	Built-in digital array microphone
Subwoofer	-
Input device	Sound volume control via function key

AMILOcam

Image sensor	VGA webcam
Frames per second	30 ⁷
Features	<ul style="list-style-type: none"> ■ Auto focus ■ Automatic brightness adjustment with status LED (blue: on, red: streaming / application on) ■ Low-light technology for great video-quality even in dark surrounding

Fujitsu Siemens Computers recommends Windows Vista® Home Premium

Input devices / Control buttons

Power button	Located left of the keyboard, back-lighted
Keyboard	Spill-proof keyboard ¹ with 85 keys
Touchpad	Hidden touchpad, with left and right mouse button, touchpad disable function via function key combination (Fn+F6)
Multimedia keys	Located on top of the keyboard to launch the following applications: <ul style="list-style-type: none"> ■ Silent mode (reduce noise level / fan speed, by reducing the CPU performance, office applications, Internet and DVD playback are not affected) ■ DVD playback ■ Internet browser
Hot keys	The following hot keys or key combinations are available <ul style="list-style-type: none"> ■ Fn+F1 WLAN on / off ■ Fn+F3 Mute on / off ■ Fn+F4 Volume down ■ Fn+F5 Volume up ■ Fn+F6 Touchpad on / off ■ Fn+F7 AMILOcam on / off ■ Fn+F8 Brightness down ■ Fn+F9 Brightness up ■ Fn+F10 Display switch ■ Fn+F11 Silent mode ■ Fn+F12 Suspend

Status indicators

The notebook has 3 status LEDs:

- Power status (& suspend)
Blue (always on): on; Blue blinking: stand by; None: off
- Battery charge
Blue (always on): full; Blue blinking: charging;
Red blinking: < 10% capacity
- WLAN
Blue: on; None: off

Security

Supervisor and user password	Yes
Kensington lock	Yes
Lid switch (hidden)	Yes

ACPI functions

ACPI 3.0 compliant for Vista requirement

- Power on stand by (S1 LCD off)
- Stand by / energy saving mode (S3 save to RAM)
- Hibernate mode (S4 save to disk)
- Off mode (S5 soft off)

Power System**Battery⁸**

Battery type ¹	Lithium-Ion battery 6 cells, 11.1 V / 2200 mAh (cell) / 4400 mAh (pack) or 8 cells, 14.8 V / 2400 mAh (cell) / 4800 mAh (pack) ¹
Battery runtime ⁹	Up to 2:50 hours (8-cell battery); up to 1:55 hours (6-cell battery)
Battery runtime (DVD playback) ¹⁰	Up to 1:55 hours (8-cell battery); up to 1:30 hours (6-cell battery)
Battery charging time (idle mode)	Up to 1:30 hours (8-cell battery); up to 1:15 hours (6-cell battery)
Battery charging time (maximum active mode) ¹¹	Up to 2:40 hours (8-cell battery); up to 2:00 hours (6-cell battery)
Battery charging time (normal use) ¹²	Up to 1:50 hours (8-cell battery); up to 1:20 hours (6-cell battery)
Battery charging time (off mode)	Up to 1:45 hours (8-cell battery); up to 1:40 hours (6-cell battery)

Fujitsu Siemens Computers recommends Windows Vista® Home Premium

AC Adapter	Dynamic charge supported, ACPI 3.0 supported
Wide Range AC adapter	110 - 240 V AC, 50 - 60 Hz
Output	90 W with 20 V DC, 4.5 A

Energy consumption

S0 (idle mode)	21.71 W
S0 (max. active mode) ¹³	42.69 W
S3 (stand by / energy saving mode)	0.41 W
S4 (hibernate)	0.01 W
S5 (off mode)	0.01 W

Noise emission

Idle mode ¹⁴	26.6 dBA (silent mode off)
Maximum active mode ¹⁵	33 dBA (silent mode off)

Operating conditions

Operational	5 °C to 35 °C (ambient temperature)
	10 % to 90 % relative humidity, non-condensing

Dimensions and weight

W x D x H	358 x 259 x 37.5 (front) / 43.5 (back) mm
Weight	2.95 kg ¹⁶

Certifications

GOST (WLAN)
CE Marking
R&TTE (WLAN)

Warranty

Country specific terms

Application Software

Home office

Microsoft® Works
Microsoft® Office Home and Student Trial
Adobe Reader
Windows Mail (within Vista operating system)
Windows Calendar (within Vista operating system)

Multimedia

Nero Essentials S (CD / DVD write software)
Vista DVD Playback Pack (DVD playback software)
Windows Media Player (within Vista operating system)

Option¹

Windows Media Center (within Windows Vista® Home Premium operating system)
CyberLink Power DVD (playback software for Blu-ray Disc™, only with Blu-ray Disc™ drive)

Internet

Microsoft® Internet Explorer
Country specific Internet provider

Security

Norman security software solution

Fujitsu Siemens Computers recommends Windows Vista® Home Premium

Accessories

Included	AC adapter 90 W First Battery (6 or 8 cells battery)
Optional	Find out more: www.fujitsu-siemens.com/accessories
Manuals	Manual (on hard disk), quick start guide, safety guide, warranty guide, recovery guide
Drivers	Updates downloadable at http://www.fujitsu-siemens.com

Awards

Notebook, Organizer &
Handy
Germany – 11/2008
“Good / Very Good”

- ¹ DISCLAIMER: The keyboard is spill-proof up to 50ml. This is enough to protect your notebook from an accidental spill. However, we recommend a backup as well as a system shut-down should liquids come into contact with the keyboard. The spill-proof protection does not prevent data loss caused by water damage. If this should happen, please contact your local customer service desk.
- ² Depending on exact configuration. Please check at your local retailer
- ³ DISCLAIMER: AMD Sempron™ processors do not support ATI hybrid CrossFireX™ technology
- ⁴ DISCLAIMER: Up to 1 GB may not be available with 32-bit operating systems due to system resource requirements if system is preinstalled with 4096 MB RAM.
- ⁵ Shared video memory size may vary depending on configuration. Used video memory size depends on Microsoft® Windows Vista® memory management.
- 1024 MB system memory enables up to 384 MB total video memory (dedicated plus shared memory).
 - 2048 MB system memory enables up to 896 MB total video memory (dedicated plus shared memory).
 - 3072 MB system memory enables up to 1408 MB total video memory (dedicated plus shared memory).
 - 4096 MB system memory enables up to 1920 MB total video memory (dedicated plus shared memory).
- ⁶ An adapter is needed for the following card formats: RS-MMC, MMC-Micro, miniSD, MicroSD, SCHC, MS-Duo, MS-PRO Duo, MS-Pro HG, MS-Pro HG Duo, M2
- ⁷ AMILOcam frame rate can vary significantly depending on the used software application.
- ⁸ DISCLAIMER: Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Recharge time varies depending on usage. The recharge capacity may decrease after some months so that the battery lifetime as well as operating time can not be assured for the whole lifetime of the notebook.
- ⁹ Tested with Battery Mark 4.0.1 (“power saver mode”)
- ¹⁰ DVD playback tested with Vista DVD playback
- ¹¹ Tested with 3DMark 2003
- ¹² DVD playback tested with Vista DVD playback
- ¹³ Tested with 3DMark 2006
- ¹⁴ Tested with QAFE 8.01, sieve.exe and diskload.exe according to ISO 7779 and ISO 9296
- ¹⁵ Tested with QAFE 8.01, sieve.exe and diskload.exe according to ISO 7779 and ISO 9296
- ¹⁶ Weight may vary depending on actual configuration.

The configuration described in this document is generic only and non-binding. For the exact configuration of your AMILO, please contact your licensed dealer.